

**6V**<sup>TM</sup>

## Model 6V Brill<sup>®</sup> Tube Type Oil Skimmer

Confronted with an oil contamination problem that requires prompt, corrective action?  
The Model 6V is the answer. It's versatile, rugged, dependable, and fully automatic.



# Model 6V Brill® Tube Type Oil Skimmer

Brill tube type oil skimmers are designed to ensure consistent, even operation, regardless of the application

*why the*  
**Tube?**

## Efficiently Removes Oil

Brill tube type oil skimmers efficiently remove all petroleum-based oil, fats, greases, and oily wastes, as well as animal and vegetable oils that float on the surface of water.

## Oil Sticks to the Tube

Oil adheres to the outside of a closed looped tube, which is continuously driven across the surface of the water, then through a set of scrapers that remove the oil. The recovered oil drains into a collection tank.

## Unaffected by Floating Debris

Floating debris may cause problems for other types of skimmers by creating a dam in front of the skimming device. The debris prevents the oil from reaching the skimmer. However, the free-floating tube on Brill™ oil skimmers doesn't follow a fixed path and snakes over, under, and through debris to continuously pick up oil.

## Adjusts to Fluctuating Water Levels

The collector tube is durable, versatile, and easy to install. The tube continues to recover oil, floating up or down when water levels in the tank or sump fluctuate.

**When it comes to performance, Brill® tube type oil skimmers consistently outperform other types of skimmers.**




## Remove Oil. Not Water.

Oil Skimmers Model 6V Brill® oil skimming system is the dependable, cost-effective, and uncomplicated solution for removing oily waste from water during the manufacturing and wastewater treatment process. The 6V efficiently removes as much as 100 gallons of waste oil per hour. Recovered oil is virtually water-free.

**Save time and money solving your outdoor and in-plant oil contamination problems.**







## Built to Last in All Applications

- Cast housing protects gearing from harsh conditions, indoors or out
- Requires minimal power or maintenance
- Wear pieces made of high abrasion-resistant ceramic
- Efficient, low-maintenance operation

## Expertly Crafted, Customizable Solution

- Pre-engineered mounts simplify placement of the system on pits, sumps, ponds, and open or closed tanks
- Experienced team of engineers can design a complete system that meets the needs of your specific application



**When oil is present, the 6V removes it. In any application, indoors or out, in the harshest conditions - even with floating debris, 24/7, for decades.**



Model 6V is available with all of our oil skimming systems:



**ORTS® Oil Removal and Transfer System**



**Extended Reach or Mobile Systems**



**ESS™ Enclosed Skimming System**



**Frame Mounted or Hanging Systems**





**Celebrating 50 Years**  
of providing oil removal solutions!



12800 York Road | Cleveland, OH 44133 USA  
PH: +1 (440) 237-4600 | Email: [info@oilskim.com](mailto:info@oilskim.com)

[oilskim.com](http://oilskim.com)

T H E O I L R E M O V A L S O L U T I O N E X P E R T S ™

